

Product name: COOLELF MDX -37 Page: 1/6

FDS N° :32131-33 Version :2.00 Version of :2003-07-10 This sheet supersedes the one dated :2001-06-28

PRODUCT LABELS

LABELLING (standard or EU): Concerned

Symbol(s):

HARMFUL

Symbol(s): Xn Harmful
Contains: ethanediol

R-phrases: R-22 Harmful if swallowed.

S-phrases: S-2 Keep out of reach of children.

S-46 If swallowed seek medical advice immediately and show this container or label.

TRANSPORT LABELLING: Not applicable.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY UNDERTAKING

Name of the product: COOLELF MDX -37

Code No.: EKU

Product application: Anti-freeze/Cooling liquid

Supplier: TOTAL LUBRIFIANTS

Le Diamant B

16, rue de la République 92922 Paris La Défense - France Tel: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

Emergency telephones: ORFILA / Tel: 01.45.42.59.59

See local details at end of sheet:

2. COMPOSITION/INFORMATION ON INGREDIENTS

PREPARATION

Chemical nature: Product with ethylene-glycol base

Substances presenting a health hazard	EC No.	CAS No.	Content	Symbol(s)	R-phrases
ethanediol	203-473-3	107-21-1	<55 %	Xn	R-22

See section 16 for explanations of R-phrases:

3. HAZARDS IDENTIFICATION

Health effects: Accidental ingestion may be harmful to the central nervous system

The product contains an approved repellant (bitter), for the purpose of avoiding the risk of

accidental ingestion

Environmental impact: Do not rejet this product into the environment



Product name: COOLELF MDX -37 Page: 2/6

FDS N° :32131-33 Version :2.00 Version of :2003-07-10 This sheet supersedes the one dated :2001-06-28

Physico-chemical hazards: No specific risk of fire or explosion under normal contitions of use

4. FIRST AID MEASURES

IN CASE OF SERIOUS OR PERSISTENT MANIFESTATIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Inhalation: Inhalation of heavy concentrations of vapour, fumes or spray, may cause mild irritation of the

throat.

Transport the person into fresh air, keep warm and allow to rest.

Ingestion: Immediately transport to hospital.

Possible risk of vomiting and diarrhoea.

Do not induce vomiting to avoid the risk of aspiration into the respiratory tract.

Give nothing to drink

Skin contact: Immediately remove all soiled or stained clothing.

Wash the affected area immediately and repeatedly with soap and water.

Eye contact: Keep eyes open and rinse immediately and repeatedly with water for at least 15 minutes.

If the product is believed to have entered the lungs (in case of vomiting, for example), take the

person to hospital for immediate care.

5. FIRE FIGHTING MEASURES

Flash point: See heading 9

Aspiration:

Extinguishing media: - suitable:

Foam, carbon dioxide (CO2), powder.

- not recommended:

do not use water jets (stick jets) for extinguishing fire since they could help to spread the flames.

Specific hazards: Prevent ethylene glycol from decomposing into acetaldehyde, at 500-600°C.

Protective measures for firefighters: Insulated breathing apparatus must be worn in confined premises with heavy concentrations of

fumes and gases.

6. ACCIDENTAL RELEASE MEASURES

See sections 8 and 13.

After spillage / leakage: - On the soil

Surfaces on which the product has been spilled may become slippery. Do not allow the product to enter sewers or rivers or contaminate the soil.

Recover with mechanical means such as pumps and skimmers.

In case of spillage, contact the competent authorities if the situation cannot be brought under

control rapidly and efficiently.

- On water:

If the product has penetrate in a river or a sewer, notify the authorities.

7. HANDLING AND STORAGE

HANDLING:

Prevention of user exposure: Ventilate extensively if the formation of vapours, fumes, mists or aerosol is a risk.

Keep away from combustive substances; keep away from food and beverages.

Prevention of fire and explosion: Empty containers may contain flammable or explosive vapours.

There is a fire hazard associated with rags, paper or any other material used to remove spills which

become soaked with product.

Avoid accumulate of these: they are to be disposed off safely after use.



Product name: COOLELF MDX -37 Page: 3/6

FDS N° :32131-33 Version :2.00 Version of :2003-07-10 This sheet supersedes the one dated :2001-06-28

Precautions: Avoid static electricity build up with connection to earth.

Set up machinery and equipment so as to avoid the risk of accidental spills or splashes onto hot

machine parts and electrical contacts (on joint failure, for example).

Avoid contact with strong oxidizers.

STORAGE:

Technical measures: Make the necessary arrangements to prevent water and soil pollution.

Storage precautions: . Suitable

Store at room temperature, protected against contact with water and moisture, and away from any

source of ignition.

To be avoided:

Do not store exposed to the elements.

Incompatible products: Dangerous reaction with strong oxidizing agents.

Packaging materials: . Recommended:

Use only containers, joints, pipes, etc...made in a material suitable for use with water and glycol.

Keep in original container if possible.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Technical measures: Use the product in a properly ventilated atmosphere.

When working on enclosed place (tanks, reservoirs...), make sure that atmosphere is not

sufocating and/or wear recommend equipment.

Occupational exposure limit: Vapours of monoethylene glycol (VLE): 125 mg/m3 (50 ppm) for 15 minutes.

Composant	N°. CAS	Référence	VME 8 h	VLE 15 mn	Date
ethanediol	107-21-1	VLEP.		125 mg/m3	

Hand protection: Glycol resistant gloves.

Eye protection: Goggles, in case of risk of splashing.

Skin and body (other than the hands) protection: Depending on requirements, face mask, boots, clothing proof against the product, safety shoes

(drum handling).

Don't wear ring, watch or similar thing which will be able to hold the product and may give rise to

some skin diseases.

Hygienic work practices: Immediately remove all soiled or stained clothing.

If the product comes into contact with the skin, wash the affected area immediately and copiously

with soap and water.

Use no abrasives, solvents or fuels.

Do not use cloths stained with the product to dry hands.

Dont put the product-soaked rags in the pockets of working clothes.

Do not eat, drink or smoke while handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid
Colour: Green.
Odour: Slight.

Density/specific gravity: 1076 kg/m3

Temperature (°C) 20

pH-value, conc. solution: 8.1



COOLELF MDX -37 Product name: Page: 4/6

FDS N°:32131-33 Version of :2003-07-10 Version: 2.00

This sheet supersedes the one dated: 2001-06-28

Flash point: > 100 ° C (ASTM D 93)

Température d'auto-inflammation: > 410 ° C (ASTM E 659)

Flammability limit - lower(%): 3.2 % Flammability limit - upper(%): 15.3 %

Solubility: in water:

Completely soluble

4 mm2/s Viscosity:

Temperature (°C) 20

10. STABILITY AND REACTIVITY

The product is stable at normal storage, handling and use temperatures. Stability:

Conditions to avoid: Heat (temperatures above flash point), sparks, ignition points, flames, static electricity

Materials to avoid: Avoid contact with strong oxidizing

Hazardous decomp. products: Acetaldehyde at temperatures around 500 - 600 °C.

11. TOXICOLOGICAL INFORMATION

Acute toxicity / Local effect:

Inhalation, comments: - Inhalation:

The product is not volatile

Risk is improbable under normal conditions of use

Inhalation of important concentration of vapour or aerosols may cause irritation of the upper

respiratory tract.

SKIN TEST DL50 (Rabbit) = 19530 mg/kg Skin contact:

Skin contact, comments: Risk is improbable under normal conditions of use.

However, major and prolonged contact is to be avoided, in particular by persons with extensive

dermatosis

Ingestion: DL50(Rat) = 5840 mg/kg

Ingestion, comments:

Ingestion constitutes the main danger because of the toxicity of ethylene glycol

Acute intoxication is particularly dangerous for children

Ingestion is followed first by digestive disorders (nausea, vomiting, abdominal pain), then by loss of muscular coordination, convulsions, headaches and dizzy spells, preceding serious nervous

disorders

This develops into a state of torpor and then coma, at times accompanied by convulsions High metabolic acidosis (oxalic acid) leads to affliction of the renal ducts, with anuresis

Intoxication can lead to a coma with metabolic acidosis that may be fatal

For man, the lowest oral lethal dose known is 1,500 mg/kg

CHRONIC TOXICITY OR LONG-TERM

TOXICITY:

Sensitization: To our knowledge, the product does not a cause aggravated sensitivity.

12. ECOLOGICAL INFORMATION

Acute toxicity. LC50 96 hours Rainbow Trout 18-46 g/l Ecotoxicity:

> Acute toxicity. EC50 24 hours Daphnia magna 46-51 g/l Acute toxicity. EC50 Algae (Selenastrum capricornutum) 10



Product name: COOLELF MDX -37 Page: 5/6

FDS N° :32131-33 Version :2.00 Version of :2003-07-10 This sheet supersedes the one dated :2001-06-28

Mobility: - Air:

there is a slow loss by evaporation.

- Ground:

Given its physical and chemical characteristics, the product is generally mobile in the ground

- Water:

Soluble in all proportions

Persistence and degradability: The product is intrinsically biodegradable.

13. DISPOSAL CONSIDERATIONS

Waste disposal: Dispose of in a safe manner, in accordance with local regulations.

If need be, collection by an authorized waste contractor and regeneration or incineration in an

approved installation

Waste class: 07.01.99 (wastes not otherwise specified)

Disposal of contaminated packaging: Proceed in compliance with the prevailing regulations.

National regulations: * France

List of wastes: JOCE L349 of 16.02.2001.

Law No. 75-633 of 15.07.75 amended, relative to the elimination of wastes and the recovery of

materials.

Regulations concerning the collection of used oils:

Decree 79-981 of 21.11.79 and rules of 28.01.99 relative to their collection and the conditions for

their elimination.

Law No. 88-1261 of 30.12.88 concerning the import, export and transit of wastes.

Decree No. 77-254 of 08.03.77 relative to the regulation for the dumping of oils and lubricants

into surface waters.

14. TRANSPORT INFORMATION

Not concerned by the regulatory below.

Road (ADR) / Rail (RID):

Class: Not restricted for transport.

Transport by barge (ADNR):

Marine (IMO-IMDG):

Air (ICAO/IATA):

15. REGULATORY INFORMATION

Symbol(s):



Symbol(s): Xn Harmful
Contains: ethanediol

Risk phrases: R-22 Harmful if swallowed.

Safety phrases: S-2 Keep out of reach of children.

 $S-46\ If\ swallowed\ seek\ medical\ advice\ immediately\ and\ show\ this\ container\ or\ label.$

EU directives: Hazardous preparations directive 1999/45/EC modified (Directive 2001/60/EC).



Product name: COOLELF MDX -37 Page: 6/6

FDS N° :32131-33 Version :2.00 Version of :2003-07-10 This sheet supersedes the one dated :2001-06-28

Social Security code: - Art. L.461-6, Art. D.461-1, apendix A, No. 603

Table of occupational illnesses and diseases No. 84

Others (French Regulations): Decree No. 95-326 of March, 20th 1995 (JORF of March, 25th 1995).

16. OTHER INFORMATION

For France, in case of poisoning call the Antipoison Centre (if possible in your area) and/or the SAMU (15), see ORFILA number below - Tel: Angers 02.41.48.21.21 - Bordeaux 05.56.96.40.80 - Lille 03.20.44.44.44 - Lyon 04.72.11.69.11 - Marseille 04.91.75.25.25 - Nancy 03.83.32.36.36 - Paris 01.40.05.48.48 - Rennes 02.99.59.22.22 - Strasbourg 03.88.37.37.37 - Toulouse 05.61.77.74.47

This sheet is in compliance with the standarts defined by the directives 91/155/CEE, 93/112/CEE, 2001/58/CE and the article 14 of the directive 1999/45/EC.

Explanations of R-phrases in section 2: R-22 Harmful if swallowed.

Revision date: 2003-07-10 Supersedes the data sheet of: 2001-06-28

* Information revised since the previous version of

the SDS:

SDS No.: COOMD37

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.