

	TOTAL QUARTZ 7000 15W50	Page:1/7
Product code: P055-0000656-83	Issue : 7 Invalidates	Date: 03/07/2000 and replaces the issue of : 10/12/1998
PRODUCT LABELS		
LABELLING (standard or EU)	Not applicable	
TRANSPORT LABELLING :	Not applicable	
. Product and company identificatio	n	
Commercial name:	TOTAL QUARTZ 7000 15W50	
Product application:	Motor oil	
Company name:	TOTALFINAELF LUBRIFIANTS	
Address:	16, rue de la République	
	92800 PUTEAUX	
	FRANCE	
Emergency number of the company :	33 (1)41.35.40.00	
Fax:	33 (1)41.35.84.71	
See local particulars at end of sheet		
Emergency phone numbers :	- Centre anti-poisons : ORFILA (FRANCE): 33 (0) 1.45.42.59.	59
. Composition / information on ingr	edients	
PREPARATION		
Chemical nature:	Petroleum-derived severely refined mineral-base product	
	in which the polycyclic aromatic hydrocarbons (PCA or PAH) c	content, measured by IP 346, is
	above 3%	
Subtances contributing to hazards :	None to our knowledge, in normal use	
Impurities contributing to hazards:	None to our knowledge	
. Hazard identification		
- Adverse human health effects :	Under normal conditions of use, the product holds no danger of	intoxication
	Don't rejet this product into the environment	
- Environmental effects :		

4. First-aid measures

IN CASE OF SERIOUS MANIFESTATIONS, CALL IN A DOCTOR OR EMERGENCY MEDICAL CARE

TOTAL QUARTZ 7000 15W50

Product code: P055-0000656-83

Issue : 7

Page:2/7

Date: 03/07/2000

Invalidates and replaces the issue of : 10/12/1998

	Route of exposure :		
	- Inhalation :	Inhalation of heavy concentrations of vapour, fumes or spray, may cause mild irritation of the	
		throat.	
		Transport the person into fresh air, keep warm and allow to rest	
	- Contact with the skin :	Immediately remove all soiled or stained clothing	
		Wash the affected area immediately and repeatedly with soap and water.	
	- Contact with the eyes :	Keep eyes open and rinse immediately and repeatedly with water for at least 15 minutes	
- Ingestion : Possible risk of vomiting and diarrhoea		Possible risk of vomiting and diarrhoea	
		Do not induce vomiting to avoid the risk of aspiration into the respiratory tract	
	Give nothing to drink		
	- Aspiration :	If the product is believed to have entered the lungs (in case of vomiting, for example), take the	
		person to hospital for immediate care	
5.	Fire-fighting measures		
	Flash point:	See heading 9	
Fire extinguishers:			
	- suitable :	Foam, carbon dioxide (CO2), powder	
	- not suitable :	do not use water jets (stick jets) for extinguishing fire since they could help to spread the flames.	
	Specific hazards:	Incomplete combustion and thermolysis produce toxic gases such as CO, CO2, various	
hydrocarbons, aldehydes and soot. These are highly dangerous if inhaled		hydrocarbons, aldehydes and soot. These are highly dangerous if inhaled	
	Firefighter protection:	An insulated breathing apparatus must be worn in confined premises with heavy concentrations	
		of fumes and gases	
6.	Accidental release measures		
	See also heading 8 and 13		
	After spillage / leakage		
	- on soil	Surfaces on which the product has been spilled may become slippery	
		Avoid discharge of the material in a stream or a sewer or cause ground contamination.	
		recovery by physical means	
		Contain and collect the spilled product with sand or any other inert material.	
		In the event of a major spill, inform the competent authorities if the situation cannot be brought	
		under control rapidly and efficiently	
	- on water	Use floating absorbent material to be removed mechanically	

If the material has been discharged into a stream or a sewer, inform the authorities of the

possible presence of floating materials

TOTAL QUARTZ 7000 15W50

Product code: P055-0000656-83

Issue : 7

Page:3/7 Date: 03/07/2000

Invalidates and replaces the issue of : 10/12/1998

Handling and storage	
HANDLING	
- Technical measures :	
. prevention of user exposure	Provide adequate ventilation in case of the potential formation of vapour, fumes, mist or spray
	Take all measures to reduce the risk of exposure, in particular to used or waste product
	Keep away from flammable material; keep away from food and beverages
. Prevention of fire and explosion	Empty containers may contain flammable or explosive vapours
	There is a fire hazard associated with rags, paper or any other material used to remove spills
	which become soaked with product
	Avoid accumulate of these: they are to be disposed off safely after use
- Precautions :	Avoid static electricity build up with connection to earth.
	Set up machinery and equipment so as to avoid the risk of accidental spills or splashes onto hot
	machine parts and electrical contacts (on joint failure, for example)
- Safe handling advice :	Avoid contact with strong oxidizing agents
	Use only hydrocarbon-resistant containers, joints, pipes etc
STORAGE	
- Technical measures :	Make the necessary arrangements and take all measures to prevent water and ground pollution
- Storage conditions :	
. Suitable	Store at room temperature, protected against contact with water and moisture, and away from
	any source of ignition
	Keep containers closed when not in use
. To be avoided	Do not store exposed to the elements
- Incompatible products :	Dangerous reaction with strong oxidizing agents
- Packaging materials :	
. Recommended	Use only hydrocarbon-resistant containers, joints, pipes, etc.
	Keep in original container if possible
	Otherwise, transfer all indications on the regulatory label to the new container

8. Exposure controls / personal protection

Engineering measures:	Use the product in well-ventilated premises	
	When working on enclosed place (tanks, reservoirs), make sure that atmosphere is not	
	sufocating and/or wear recommend eqipment	
- Control parameters:		
. Occupational exposure limit	. oil mist : 10mg/m3, for 15 minutes	
	. oil mist : 5mg/m3, for 8 hours	

TOTAL QUARTZ 7000 15W50

Product code: P055-0000656-83

Issue : 7

Page:4/7

Date: 03/07/2000

Invalidates and replaces the issue of : 10/12/1998

Personal protective equipment	
- Hand protection:	Impermeable hydrocarbon-proof gloves
	recommended material: nitrile, neoprene
- Eye protection:	Goggles, in case of splashing
- Skin and body different hand protection:	As required, wear a face mask, hydrocarbon-proof clothing, and safety boots (when handling
	drums)
	Don't wear ring, watch or similar thing which will be able to hold the product and may give rise
	to some skin diseases
Industrial hygiene	Avoid prolonged and repeated contact with the skin, especially with used or waste product
	Immediately remove all soiled or stained clothing.
	If the product comes into contact with the skin, wash the affected area immediately and
	repeatedly with soap and water
	Use no abrasives, solvents or petroleum spirit
	Do not use cloths stained with the product to dry hands
	Dont put the product-soaked rags in the pockets of working clothes
	Do not eat, drink or smoke while handling the product

9. Physical and chemical properties

Appearance:	
- Physical state:	Clear liquid
- Colour:	Yellow to amber
Odour:	Characteristic odour of oil
pH:	Not applicable
Specific temperatures	
of change in state	
Flash point:	>= 230°C (ISO 2592)
Auto-ignition temperature:	> 250°C (ASTM E 659)
	This temperature may be significantly lower under particular conditions (oxidation on high
	surface areas)
Explosion limits:	Not applicable
Density:	About 872 kg/m3 at 15°C
Solubility:	
- in water:	Insoluble and immiscible
- in organic solvents:	Soluble in many common solvents
- Viscosity:	Kinematic viscosity at 100°C: about 18.5 mm ² /s

TOTAL QUARTZ 7000 15W50		Page:5/7
Product code: P055-0000656-83	Issue : 7	Date: 03/07/2000
		aces the issue of : 10/12/1998
Log P n-octanol / water at 20°C	mineral oil > 6	
0. Stability and reactivity		
Stability:	The product is stable under normal temperatures of storage, handling and use	e
Dangerous reactions:	Not dangerous reaction known under normal conditions of use, to refer to the	e technical notice
- Conditions to avoid:	Heat (temperatures above flash point), sparks, ignition points, flames, static	electricity
- Materials to avoid:	Avoid contact with strong oxidizing	
Dangerous decomposition products:	Incomplete combustion and thermolysis produce more or less toxic gases suc	ch as CO, CO2,
	various hydrocarbons, aldehydes and soot	
1. Toxicological information		
ACUTE TOXICITY/LOCAL EFFECTS		
- Inhalation:	Risk is improbable under normal conditions of use	
	Inhalation of important concentration of vapour or aerosols may cause irritat	tion of the upper
	respiratory tract.	
- Contact with the skin:	Risk is improbable under normal conditions of use	
- Ingestion:	In case of ingestion of small quantities, no important effect observed. in case	of ingestion of
	larger amounts: abdominal pain, diarrhoea,	
SENSITIZATION	To our knowledge, the product dont induce sensitization	
CHRONIC TOXICITY OR LONG-TERM		
TOXICITY		
- Contact with the skin:	Characteristic skin affections (oil blisters) may develop following prolonged	and repeated
	exposure through contact with stained clothing	1
- Carcinogenecity :	During use in engines, contamination of oil with low levels of combustion pr	roducts occurs.
	Used motor oils have been shown to cause skin cancer in mice following rep	
	and continuous exposure.	
	Brief or intermittent skin contact with used motor oil is not expected to have	serious effects in
	humans if the oil is thoroughly removed by washing with soap and water.	
12. Ecological information		
Mobility:		
- Air:	there is a slow loss by evaporation.	
- Ground:	Given its physical and chemical characteristics, the product generally shows	little mobility in
	the ground	

The product is insoluble; it spreads on the surface of the water

- Water:

TOTAL QUARTZ 7000 15W50		Page:6/7
Product code: P055-0000656-83	Issue : 7	Date: 03/07/2000
110 uut 2002 . 1 <i>055</i> 0000050 05		d replaces the issue of : 10/12/1998
Persistence and degradability:	Experimental data on the finished product are not available	
	However, the "mineral oil" portion of the virgin product is intrinsical	lly biodegradable.
	Particular ingredients may not be biodegradable	
Ecotoxicity:	The virgin product is considered to present no danger for land-growing	ng organisms.
	It is considered to present a little danger for aquatic life. no information available for used product	
3. Disposal considerations		
Waste disposal :	Dispose in a safe manner in accordance with local/national regulatio	
	If need be, collection by an authorized waste contractor and regenera	ation or incineration in an
	approved installation	
Used packaging disposal :	Conform to the regulation in effect	
Industrial waste number EU :	13-02-02 (non-chlorinated engine, gear, lubricating oils)	
4. Transport information		
UN Number :	unregulated	
Road (ADR) / Rail (RID)/ River (ADNR)	Not restricted for transport.	
Marine (IMO-IMDG)	Not restricted for transport.	
Airline (ICAO / IATA)	Not restricted for transport	
5. Regulatory information		
EUROPEAN REGULATIONS		
- EC labelling		
- Symbol(s)	None	
- R Phrase(s)	None	
- S Phrase(s)	None	

16. Other information

This data sheet conforms to standards defined by directive 93/112/EEC

Date of current version:	03/07/2000
Supersedes previous Safety Data Sheet of:	10/12/1998
Emergency phone numbers :	+44.(0)171 635 91 91 / Nantional Poisons Information Service LONDON
	+44 1222 70 99 01 / Welsh National Poisons Unit CARDIFF
	+44 131 536 23 00 / Scottish Poisons Information Bureau EDINBURGH

TOTAL QUARTZ 7000 15W50

Page:7/7

Date: 03/07/2000

Product code: P055-0000656-83

Issue : 7

Invalidates and replaces the issue of : 10/12/1998

+44 1 232 24 05 03 / Regional drug and poisons Information Service BELFAST

+353 1 837 99 64 / Poisons Information Centre DUBLIN

"This Safety Data Sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of ou knowledge at the date indicated hereabove.

It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk.

The information given herein in no way dispenses the user from knowing and applying all provisions regulating his or her activity. The user bears sole liability for the precautions required when using the product.

The regulatory texts indicated herein are intended to aid the user to fulfill his obligations. This list is not to be considered complete and exhaustive.

It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned."

End of document. Number of page(s):7