

	TOTAL TRANSMISSION SYN FE 75W90		Page :1/6	
	SDS N° P181-0000479-65	Version : 2	Date : 21/06/2000	
			Supersedes SDS of : 26/01/2000	
	PRODUCT LABELS			
	LABELLING (standard or EU)	Not applicable		
	TRANSPORT LABELLING :	Not applicable		
1.	Product and company identification	on		
	Commercial name:	TOTAL TRANSMISSION SYN FE 75W90		
	Product application:	Transmission oil		
	Company name:	TOTAL RAFFINAGE DISTRIBUTION		
	Address:	Tour TOTAL bât.E-24 cours Michelet		
		92069 PARIS LA DEFENSE 10		
		FRANCE		
	Telephone:	01.41.35.40.00		
	Telex/fax:	Telex : 615 700F		
		Fax : 01.41.35.84.71		
	see local address below this page			
	Emergency phone numbers in France:	-		
		01.40.05.48.48 / HOPITAL FERNAND WIDAL 200 , rue of	lu faubourg St Denis	
		75475 PARIS Cédex 10		
		04.72.11.00.12 / HOPITAL EDOUARD HERRIOT 5, Place	d'Arsonval	
		69437 LYON Cédex 3		
		- ORFILA (FRANCE) : +33.(1) 41.42.59.59		
		- BELGIUM : +32.(0) 70/245.245		
		- GB: +44.(0)1372.726226 (in the UK, regulations place the re	sponsibility for emergency response on the	
		Company who markets the product.)		

2.	2. Composition / information on ingredients					
	PREPARATION					
	Chemical nature:	Polyolefins with additives				
	Subtances contributing to hazards :	None to our knowledge, in normal use				
	Impurities contributing to hazards:	None to our knowledge				
3.	Hazard identification					
	- Adverse human health effects :	Under normal conditions of use, the product holds no danger of intoxication				
	- Environmental effects :	Don't rejet this product into the environment				
	- physical and chemical hazards :	No specific risk of fire or explosion under normal contitions of use				

#### 4. First-aid measures

IN CASE OF SERIOUS MANIFESTATIONS, CALL IN A DOCTOR OR EMERGENCY MEDICAL CARE

#### TOTAL TRANSMISSION SYN FE 75W90

Version: 2

Page :2/6

Date : 2	21/06/2000
----------	------------

Supersedes SDS of : 26/01/2000

Route of exposure :				
- Inhalation :	Inhalation of heavy concentrations of vapour, fumes or spray, may cause mild irritation of the throat.			
	Transport the person into fresh air, keep warm and allow to rest			
- Contact with the skin :	Immediately remove all soiled or stained clothing.			
	Wash the affected area immediately and repeatedly with soap and water.			
- Contact with the eyes :	Keep eyes open and rinse immediately and repeatedly with water for at least 15 minutes			
- Ingestion :	Possible risk of vomiting and diarrhoea			
	Do not induce vomiting to avoid the risk of aspiration into the respiratory tract			
	Give nothing to drink			
- Aspiration :	If the product is believed to have entered the lungs (in case of vomiting, for example), take the person to			
	hospital for immediate care			
Fire-fighting measures				
Flash point:	See heading 9			
Fire extinguishers:				
- suitable :	Foam, carbon dioxide (CO2), powder			
- not suitable :	Water under strong pencil like jet forbidden			
Specific hazards:	Incomplete combustion and thermolysis produce toxic gases such as CO, CO2, various hydrocarbons,			
Specific fuzzues.	aldehydes and soot. These are highly dangerous if inhaled			
Firefighter protection:	An insulated breathing apparatus must be worn in confined premises with heavy concentrations of fumes an			
i nengner protection.	gases			
Accidental release measures				
See also heading 8 and 13				
After spillage / leakage				
	Surfaces on which the mechant has been enilled more become elimnem.			
- on soil	Surfaces on which the product has been spilled may become slippery			
	Avoid discharge of the material in a stream or a sewer or cause ground contamination.			
	recovery by physical means			
	Contain and collect the spilled product with sand or any other inert material.			
	In the event of a major spill, inform the competent authorities if the situation cannot be brought under contro			
	rapidly and efficiently			
- on water	Use floating absorbent material to be removed mechanically If the material has been discharged into a stream or a sewer, inform the authorities of the possible presence of			

#### 7. Handling and storage

SDS N° P181-0000479-65

#### HANDLING

- Technical measures :

. prevention of user exposure

Provide adequate ventilation in case of the potential formation of vapour, fumes, mist or spray Take all measures to reduce the risk of exposure, particularly to used or waste lubricants Keep away from flammable material; keep away from food and beverages

floating materials

	TOTAL TRANSMISSION SYN FE 75W90	Page :3/6	
SDS N° P181-0000479-65	Version : 2	Date : 21/06/2000	
		Supersedes SDS of : 26/01/2000	
. Prevention of fire and explosion	Empty containers may contain flammable or explosive vapo	urs	
	Product-impregnated cloths and paper or material used to m		
	allow these to accumulate in a pile	op up spins can constitute a me nazara. Do not	
	Discard these with all safety precautions immediately after u	ISE	
- Precautions :	Avoid static electricity build up with connection to earth.		
	By arranging and setting up machinery and equipment so as	to :	
	. avoid accidental spills and splashes onto hot machine parts	and electrical contacts	
- Safe handling advice :	Avoid contact with strong oxidizing agents		
	Use only hydrocarbon-resistant containers, joints, pipes etc		
STORAGE			
- Technical measures :	Make the necessary arrangements and take all measures to p	prevent water and ground pollution	
- Storage conditions :			
. Suitable Store at room temperature, protected against contact with water and moisture, and a ignition		ater and moisture, and away from any source of	
	Keep containers clearly labelled and closed when not in use		
. To be avoided	Do not store exposed to the elements		
- Incompatible products :	Dangerous reaction with strong oxidizing agents		
- Packaging materials :	g		
. Recommended	Use only hydrocarbon-resistant containers, joints, pipes, etc.		
	Keep in original container if possible		
	Otherwise, transfer all indications on the regulatory label to	the new container	

### 8. Exposure controls / personal protection

Engineering measures:	Use the product in well-ventilated premises	
	When working on enclosed place (tanks, reservoirs), make sure that atmosphere is not sufocating and/or	
	wear recommend eqipment	
Personal protective equipment		
- Hand protection:	Impermeable hydrocarbon-proof gloves	
	recommended material: nitrile, neoprene	
- Eye protection:	Goggles, in case of splashing	
- Skin and body protection:	As required, wear a face mask, hydrocarbon-proof clothing, and safety boots (when handling drums)	
	Don't wear ring, watch or similar thing which will be able to hold the product and may give rise to some skin	
	diseases	
Industrial hygiene	Avoid prolonged and repeated contact with the skin, especially with used or waste lubricants	
	Immediately remove all soiled or stained clothing.	
	If the product comes into contact with the skin, wash the affected area immediately and repeatedly with soap	
	and water	
	Use no abrasives, solvents or petroleum spirit	
	Do not use cloths stained with the product to dry hands	

### TOTAL TRANSMISSION SYN FE 75W90

Page :4/6

SDS N° P181-0000479-65

Version : 2

Date : 21/06/2000

Supersedes SDS of : 26/01/2000

Dont put the product-soaked rags in the pockets of working clothes Do not eat, drink or smoke while handling the product

. Physical and chemical properties	
Appearance:	
- Physical state:	Clear liquid
- Colour:	Yellow to amber
Odour:	Characteristic odour of oil
pH:	Not applicable
Specific temperatures	
of change in state	
Flash point:	>= 150°C (under ISO 2592)
Auto-ignition temperature:	> 250°C (ASTM E 659). This temperature may be significantly lower under particular conditions (oxidation
	on high surface areas)
Explosion limits:	Not applicable
Density:	About 883kg/m3 at 15°C
Solubility:	
- in water:	Insoluble and immiscible
- in organic solvents:	Soluble in many common solvents
- Viscosity:	Kinematic viscosity at 100°C: about 15.1 mm <sup>2</sup> /s
Stability: Dangerous reactions:	The product is stable under normal temperatures of storage, handling and use Not dangerous reaction known under normal conditions of use, to refer to the technical notice
- Conditions to avoid:	Heat (temperatures above flash point), sparks, ignition points, flames, static electricity
- Materials to avoid:	Avoid contact with strong oxidizing
Dangerous decomposition products:	Incomplete combustion and thermolysis produce more or less toxic gases such as CO, CO2, various
	hydrocarbons, aldehydes and soot
. Toxicological information	
ACUTE TOXICITY/LOCAL EFFECTS	
- Inhalation:	Risk is improbable under normal conditions of use
	Inhalation of important concentration of vapour or aerosols may cause irritation of the upper respiratory tract.
- Contact with the skin:	Risk is improbable under normal conditions of use
- Ingestion:	In case of ingestion of small quantities, no important effect observed. in case of ingestion of larger amounts:
ingeologi	abdominal pain, diarrhoea,
SENSITIZATION	To our knowledge, the product dont induce sensitization
CHRONIC TOXICITY OR LONG-TERM TOXICITY	to our knowledge, the product doin induce sensitization
- Contact with the skin:	Characteristic skin affections (oil blisters) may develop following prolonged and repeated exposure through
- Contact with the Skill.	
	contact with stained clothing

TOTAL TRANSMISSI		TOTAL TRANSMISSION SYN FE 75W90	ION SYN FE 75W90 Page :5/6	
SDS	N° P181-0000479-65	Version : 2	Date : 21/06/2000	
			Supersedes SDS of : 26/01/2000	
- Carci	inogenecity :	this product is not regarded as carcinogenic.		
2. Ecolo	ogical information			
Mobili	ity:			
- Air:		there is a slow loss by evaporation.		
- Grou	nd:	Given its physical and chemical characteristics, the product gen	erally shows little mobility in the ground	
- Wate	r:	The product is insoluble; it spreads on the surface of the water		
Persist	ence and degradability:	Experimental data on the finished product are not available		
Ecotox	kicity:	The virgin product is considered to present no danger for land-g	rowing organisms and little danger for aquat	
		life. No data are currently available for the used product		
3. Disp	osal considerations			
Waste	disposal :	Dispose in a safe manner in accordance with local/national regu	lations	
		If need be, collection by an authorized waste contractor and reg	eneration or incineration in an approved	
		installation		
Used p	backaging disposal :	Conform to the regulation in effect		
Industrial waste number EU : Local regulations:		13-02-02 (non-chlorinated engine, gear, lubricating oils)		
		FRANCE :		
		Notice concerning the nomenclature of waste of 11.11.97		
		Law N° 75633 of 15.07.75 amended, concerning the disposal o	f waste and the recycling of waste materials	
		Relating regulatiion of the recovery of used oils :		
		Law N° 79-981 of 21.11.79; decree of 28.01.99, concerning co	llection and conditions of disposal	
		Law N° 88-1261 of 30.12.1988; decree N° 90-267 of 23.03.19	90 concerning the import, export and transit	
		waste;		
		Decrees N°77-254 of 08.03.1977. Regulation concerning the di	scharge of oil and lubricants into surface wa	
4. Tran	sport information			
	classification number:	unregulated		
Road (	(ADR) / Rail (RID)/ ADNR	Not restricted for transport.		
Marine (IMO-IMDG) Not restricted for transport.				
Airline (ICAO / IATA) Not restricted for transport				

- EC labelling		
- Symbol(s)		
- R Phrases		

- R Phrases	None
- S Phrases	None

None

### TOTAL TRANSMISSION SYN FE 75W90

SDS N° P181-0000479-65	Version : 2	Date : 21/06/2000 Supersedes SDS of : 26/01/2000
NATIONAL REGULATIONS FRANCE		
- Social Security code : - Labour code :	. Art. L.461-6, Art. D.461-1, Appendix A, N° 15 Table of occupational illnesses and diseases: N° 36 . Art. R.241-50, Order of 11.07.1977	

#### 16. Other information

This data sheet conforms to standards defined by directive 93/112/EEC

"This Safety Data Sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of ou knowledge at the date indicated hereabove.

It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk.

The information given herein in no way dispenses the user from knowing and applying all provisions regulating his or her activity.

The user bears sole liability for the precautions required when using the product.

The regulatory texts indicated herein are intended to aid the user to fulfill his obligations. This list is not to be considered complete and exhaustive.

It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned."

End of document. Number of pages :6 Page :6/6